

SAFETY DATA SHEET

Creation Date 21-Mar-2011

Revision Date 24-Dec-2021

Revision Number 6

Product Name	Acetic anhydride	
Cat No. :	AC149490000; AC149490010; AC149490025; AC149490200; AC149490250	
CAS No	108-24-7	
Synonyms	Acetyl oxide, Acetic acid anhydride, Acetic oxide, Ethanoic anhydride	
Recommended Use	Laboratory chemicals.	
Uses advised against	Food, drug, pesticide or biocidal product use.	

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicityCategorAcute Inhalation Toxicity - VaporsCategorSkin Corrosion/IrritationCategorSerious Eye Damage/Eye IrritationCategor	ý 2 y 1
Serious Eye Damage/Eye Irritation Categor	y 1

Label Elements

Signal Word Danger

Hazard Statements Flammable liquid and vapor Harmful if swallowed Fatal if inhaled Causes severe skin burns and eye damage



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wear respiratory protection Wear protective gloves/protective clothing/eye protection/face protection Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion Rinse mouth Do NOT induce vomiting Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store in a well-ventilated place. Keep container tightly closed Store locked up Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) Lachrymator (substance which increases the flow of tears) Reacts with water and forms acetic acid

Corrosive to the respiratory tract

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Acetic anhydride	108-24-7	>99

	4. First-aid measures
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Most important symptoms and effects Notes to Physician	Causes burns by all exposure routes. Difficulty in breathing. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting Treat symptomatically
	5. Fire-fighting measures

Suitable Extinguishing Media	CO 2, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	DO NOT USE WATER
Flash Point	49 °C / 120.2 °F
Method -	CC (closed cup)
Autoignition Temperature	316 °C / 600.8 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	10.3 vol % 2.9 vol % et No information available No information available

Specific Hazards Arising from the Chemical

Flammable. Corrosive material. Water reactive. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u> Health 3	Flammability 2	Instability 1	Physical hazards W
	6. Accidental rel	ease measures	
Personal Precautions	Use personal protective eq	uipment as required. Evacuate	e personnel to safe areas. Remove

Environmental Precautions	all sources of ignition. Take precautionary measures against static discharges. Avoid contact with skin, eyes and inhalation of vapors. Should not be released into the environment. See Section 12 for additional Ecological Information.
Methods for Containment and Clean Up	Remove all sources of ignition. Do not expose spill to water. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Use spark-proof tools and explosion-proof equipment.
	7. Handling and storage
Handling	Use only under a chemical fume hood. Wear personal protective equipment/face protection. Keep away from open flames, hot surfaces and sources of ignition. Use spark-proof tools and explosion-proof equipment. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Keep away from water or moist air. Flammables area. Incompatible Materials. Strong acids. Water. Strong reducing agents. Alcohols. Bases. Oxidizing agent.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Acetic anhydride	TWA: 1 ppm	(Vacated) Ceiling: 5 ppm	IDLH: 200 ppm	TWA: 1 ppm
-	STEL: 3 ppm	(Vacated) Ceiling: 20 mg/m ³	Ceiling: 5 ppm	STEL: 3 ppm
		TWA: 5 ppm	Ceiling: 20 mg/m ³	
		TWA: 20 mg/m ³		

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
	9. Physical and chemical properties
Physical State Appearance Odor	Liquid Colorless pungent

Acetic anhydride

Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Method - Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula	No information available 3 -73.1 °C / -99.6 °F 140 °C / 284 °F @ 760 mmHg 49 °C / 120.2 °F CC (closed cup) 0.46 Not applicable 10.3 vol % 2.9 vol % 5 mbar @ 20 °C 3.5 1.087 No information available No data available 316 °C / 600.8 °F No information available 0.91 mPa.s at 20 °C C4 H6 O3 400 00
Molecular Formula Molecular Weight	C4 H6 O3 102.09

Reactive Hazard	Yes
Stability	Moisture sensitive.
Conditions to Avoid	Incompatible products. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water.
Incompatible Materials	Strong acids, Water, Strong reducing agents, Alcohols, Bases, Oxidizing agent
Hazardous Decomposition Produc	ts Carbon monoxide (CO), Carbon dioxide (CO2)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

10. Stability and reactivity

11. Toxicological information

Acute Toxicity

Product Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetic anhydride	LD50 = 630 mg/kg (Rat) Equiv. OECD 410	LD50 = 4000 mg/kg (Rabbit)	LC100: 1.67 mg/L/6h (Rat) Equiv. OECD 412 LC50: 400 ppm/6h (Rat)
Foxicologically Synergistic Products Delayed and immediate effects	No information available as well as chronic effects from	m short and long-term exposure	<u>.</u>
	Causes burns by all expos	sure routes	
rritation		Sure routes	
Irritation Sensitization	No information available		

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Acetic anhydride	108-24-7	Not listed				

Mutagenic Effects	Not mutagenic in AMES Test		
Reproductive Effects	No information available.		
Developmental Effects	No information available.		
Teratogenicity	No information available.		
STOT - single exposure STOT - repeated exposure	None known None known		
Aspiration hazard	No information available		
Symptoms / effects,both acute and delayed	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting		
Endocrine Disruptor Information	No information available		
Other Adverse Effects	The toxicological properties have not been fully investigated.		
	12. Ecological information		

Ecotoxicity Reacts with water so no ecotoxicity data for the substance is available. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

Persistence and Degradability	Persistence is unlikely based on information available.		
Bioaccumulation/ Accumulation	No information available.		

.

Mobility

Component	log Pow
Acetic anhydride	-0.27

13. Disposal considerations				
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.			

14. Transport information			
DOT			
UN-No	UN1715		
Proper Shipping Name	ACETIC ANHYDRIDE		
Hazard Class	8		
Subsidiary Hazard Class	3		
Packing Group	II		
TDG			
UN-No	UN1715		
Proper Shipping Name	ACETIC ANHYDRIDE		
Hazard Class	8		
Subsidiary Hazard Class	3		
Packing Group	II		
ΙΑΤΑ			
UN-No	UN1715		
Proper Shipping Name	ACETIC ANHYDRIDE		
Hazard Class	8		
Subsidiary Hazard Class	3		

Packing Group	II
IMDG/IMO	
UN-No	UN1715
Proper Shipping Name	ACETIC ANHYDRIDE
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Acetic anhydride	108-24-7	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Acetic anhydride	108-24-7	Х	-	203-564-8	Х	Х	Х	Х	Х	KE-00017

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Acetic anhydride	X	5000 lb	-	-

Clean Air Act	Not applicable
	i tot applicable

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Acetic anhydride	5000 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acetic anhydride	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν
U.S. Department of Hemeland	This product does not contain any DUS chamicals
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
eeeuny	

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Сотро	nent	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Acetic anh	nydride	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Acetic anhydride	108-24-7	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Acetic anhydride	108-24-7	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Regulatory Affairs
	Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	21-Mar-2011
Revision Date	24-Dec-2021
Print Date	24-Dec-2021
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS