

# **SAFETY DATA SHEET**

Creation Date 23-Sep-2009 Revision Date 19-Jan-2018 Revision Number 4

1. Identification

Product Name Manganese(II) nitrate tetrahydrate

Cat No.: AC193460000; AC193460010; AC193462500

**CAS-No** 20694-39-7

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids
Category 2
Acute oral toxicity
Category 4
Skin Corrosion/irritation
Category 1
Cerious Eye Damage/Eye Irritation
Category 1
Specific target organ toxicity - (repeated exposure)
Category 2

Target Organs - Brain.

### **Label Elements**

### Signal Word

Danger

### **Hazard Statements**

May intensify fire; oxidizer Harmful if swallowed

Causes severe skin burns and eye damage

May cause damage to organs through prolonged or repeated exposure



### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

Wear respiratory protection

#### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### **Eves**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

### Ingestion

Rinse mouth

Do NOT induce vomiting

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

Corrosive to the respiratory tract

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Nitric acid, manganese(2+) salt, tetrahydrate	20694-39-7	100
Manganese nitrate	10377-66-9	-

# 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

Inhalation Move to fresh air. If not breathing, give artificial respiration. Call a physician or Poison

> Control Center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with

a one-way valve or other proper respiratory medical device.

Ingestion Immediate medical attention is required. Do not induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Most important symptoms and

effects

None reasonably foreseeable. Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe

damage to the delicate tissue and danger of perforation

**Notes to Physician** Treat symptomatically

### 5. Fire-fighting measures

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Suitable Extinguishing Media

**Unsuitable Extinguishing Media** No information available

**Flash Point** No information available Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper No data available Lower No data available

**Oxidizing Properties** Oxidizer

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx)

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	1	2	OX

### Accidental release measures

**Personal Precautions** Use personal protective equipment. Evacuate personnel to safe areas. Avoid contact with

skin, eyes and clothing.

**Environmental Precautions** Should not be released into the environment. Do not allow material to contaminate ground

water system. Do not flush into surface water or sanitary sewer system.

Up

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

### 7. Handling and storage

**Handling** Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only

under a chemical fume hood. Do not breathe dust. Do not ingest. Keep away from clothing

and other combustible materials.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near

combustible materials. Corrosives area. To maintain product quality: Keep refrigerated.

### 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Nitric acid, manganese(2+)	TWA: 0.02 mg/m <sup>3</sup>	(Vacated) Ceiling: 5 mg/m <sup>3</sup>	acated) Ceiling: 5 mg/m <sup>3</sup> IDLH: 500 mg/m <sup>3</sup>	
salt, tetrahydrate	TWA: 0.1 mg/m <sup>3</sup>	Ceiling: 5 mg/m <sup>3</sup>	Ceiling: 5 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	
			STEL: 3 mg/m <sup>3</sup>	
Manganese nitrate	TWA: 0.02 mg/m <sup>3</sup>	(Vacated) Ceiling: 5 mg/m <sup>3</sup>	IDLH: 500 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>
	TWA: 0.1 mg/m <sup>3</sup>	Ceiling: 5 mg/m <sup>3</sup>	TWA: 1 mg/m³	-
			STEL: 3 mg/m <sup>3</sup>	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Physical StateSolidAppearanceLight redOdorStrong

Odor Threshold

pH

No information available
No information available

Melting Point/Range37 °C / 98.6 °FBoiling Point/RangeNo information availableFlash PointNo information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information availableVapor DensityNot applicable

Specific Gravity No information available

**Solubility** Soluble in water

### Manganese(II) nitrate tetrahydrate

No data available

Partition coefficient; n-octanol/water

**Autoignition Temperature** 

Decomposition Temperature> 140°CViscosityNot applicableMolecular FormulaMn N2 O6 . 4 H2 OMalecular Weight251.04

Molecular Weight 251.01

## 10. Stability and reactivity

Reactive Hazard Yes

Stability Hygroscopic. Oxidizer: Contact with combustible/organic material may cause fire.

**Conditions to Avoid**Avoid dust formation. Incompatible products. Excess heat. Exposure to moist air or water.

Combustible material.

Incompatible Materials Strong reducing agents, Combustible material

Hazardous Decomposition Products Nitrogen oxides (NOx)

**Hazardous Polymerization**No information available.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Component Information** 

Component LD50 Oral		LD50 Dermal	LC50 Inhalation	
Manganese nitrate	>300 mg/kg	Not listed	Not listed	

**Toxicologically Synergistic** 

The director

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Nitric acid,	20694-39-7	Not listed				
manganese(2+) salt,						
tetrahydrate						
Manganese nitrate	10377-66-9	Not listed				

Mutagenic Effects No information available

**Reproductive Effects** No information available.

**Developmental Effects**No information available.

**Teratogenicity** No information available.

STOT - single exposure None known

STOT - repeated exposure Brain

Aspiration hazard No information available

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

### Manganese(II) nitrate tetrahydrate

**delayed** Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

#### **Ecotoxicity**

Do not empty into drains. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

**Persistence and Degradability**Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation**No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT

UN-No UN2724

Proper Shipping Name MANGANESE NITRATE

Hazard Class 5.1
Packing Group

<u>TDG</u>

UN-No UN2724

Proper Shipping Name MANGANESE NITRATE

Hazard Class 5.1 Packing Group III

IATA

UN-No UN2724

Proper Shipping Name MANGANESE NITRATE

Hazard Class 5.1
Packing Group III

IMDG/IMO

UN-No UN2724

Proper Shipping Name MANGANESE NITRATE

Hazard Class 5.1 Packing Group III

## 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Nitric acid, manganese(2+)	-	-	-	-	-		Χ	-	-	Х	-
salt, tetrahydrate											
Manganese nitrate	Х	Х	-	233-828-8	-		Χ	Χ	Χ	Х	Χ

#### Legend:

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

X - Listed

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

**TSCA 12(b)** 

Not applicable

#### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Nitric acid, manganese(2+) salt, tetrahydrate	20694-39-7	100	1.0
Manganese nitrate	10377-66-9	-	1.0

SARA 311/312 Hazard Categories

See section 2 for more information

**CWA (Clean Water Act)** 

Not applicable

#### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Nitric acid, manganese(2+) salt,	X		-
tetrahydrate			
Manganese nitrate	X		-

### **OSHA** Occupational Safety and Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Nitric acid, manganese(2+) salt, tetrahydrate	-	Х	Х	Х	-
Manganese nitrate	-	X	X	X	-

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

#### Other International Regulations

Mexico - Grade No information available

### 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 23-Sep-2009

 Revision Date
 19-Jan-2018

 Print Date
 19-Jan-2018

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**