Material Safety Data Sheet

Version 4.6 Revision Date 10/12/2012 Print Date 11/04/2013

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 3-Methyl-2-butanone

Product Number : 59600

Brand : Sigma-Aldrich

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable liquid

GHS Classification

Flammable liquids (Category 2)
Acute toxicity, Oral (Category 5)
Acute toxicity, Inhalation (Category 5)

Specific target organ toxicity - single exposure (Category 3)

Acute aquatic toxicity (Category 3)

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.
H303 + H333 May be harmful if swallowed or if inhaled.
H336 May cause drowsiness or dizziness.

H402 Harmful to aquatic life.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

HMIS Classification

Health hazard: 1 Flammability: 3 Physical hazards: 0

NFPA Rating

Health hazard: 0 Fire: 3 **Reactivity Hazard**: 0

Potential Health Effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Vapours may cause

drowsiness and dizziness.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation. **Ingestion** May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Isopropyl methyl ketone

Methyl isopropyl ketone

Formula : C₅H₁₀O Molecular Weight : 86.13 g/mol

Component		Concentration
3-Methylbutan-2-one		
CAS-No.	563-80-4	-
EC-No.	209-264-3	
Index-No.	606-007-00-0	

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Sigma-Aldrich - 59600 Page 2 of 7

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control	Basis
			parameters	
3-Methylbutan-2-	563-80-4	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
one			705 mg/m3	
		TWA	200 ppm	USA. OSHA - TABLE Z-1 Limits for Air Contaminants -
			705 mg/m3	1910.1000

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash protection Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: > 30 min

Material tested:Butoject® (Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

impervious clothing, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Sigma-Aldrich - 59600 Page 3 of 7

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form clear, liquid Colour colourless

Safety data

pΗ no data available

Melting point/range: -92 °C (-134 °F) - lit. Melting

point/freezing point

Boiling point 94 - 95 °C (201 - 203 °F) - lit. Flash point -3 °C (27 °F) - closed cup

Ignition temperature no data available

Autoignition temperature 448 °C (838 °F) at 980 hPa (735 mmHg)

Lower explosion limit 1.2 %(V) Upper explosion limit 8.2 %(V)

Vapour pressure 70 hPa (53 mmHg) at 25 °C (77 °F)

Density 0.805 g/mL at 25 °C (77 °F) Water solubility 8.21 g/l at 20 °C (68 °F)

Partition coefficient: n-octanol/water

log Pow: 2.29 at 20 °C (68 °F)

Relative vapour

no data available

density

Odour no data available Odour Threshold no data available Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Materials to avoid

Strong oxidizing agents, Strong bases, Strong reducing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - rat - male and female - 3,078 mg/kg

Sigma-Aldrich - 59600 Page 4 of 7

Inhalation LC50

LC50 Inhalation - rat - male and female - 6 h - 6377 ppm

Dermal LD50

LD50 Dermal - rabbit - 6,350 mg/kg

Other information on acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

Eyes - rabbit - No eye irritation - 1 h

Respiratory or skin sensitization

guinea pig - Does not cause skin sensitization.

Germ cell mutagenicity

Genotoxicity in vitro - mouse - lymphocyte - with or without metabolic activation - negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

inhalation (vapour) - May cause drowsiness or dizziness. - Central nervous system

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Vapours may cause

drowsiness and dizziness.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

no data available

Additional Information

RTECS: EL9100000

Sigma-Aldrich - 59600 Page 5 of 7

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - > 68 mg/l - 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

Toxicity to algae Growth inhibition EC50 - Pseudokirchneriella subcapitata - 44.2 mg/l - 72 h

Method: OECD Test Guideline 201

Persistence and degradability

Biodegradability aerobic

Result: 85.1 % - Readily biodegradable. Method: OECD Test Guideline 301D

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

no data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2397 Class: 3 Packing group: II

Proper shipping name: 3-Methylbutan-2-one

Reportable Quantity (RQ): Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 2397 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: 3-METHYLBUTAN-2-ONE

Marine pollutant: No

IATA

UN number: 2397 Class: 3 Packing group: II

Proper shipping name: 3-Methylbutan-2-one

15. REGULATORY INFORMATION

OSHA Hazards

Flammable liquid

Sigma-Aldrich - 59600 Page 6 of 7

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard

Massachusetts Right To Know Components

3-Methylbutan-2-one	CAS-No. 563-80-4	Revision Date 1991-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
3-Methylbutan-2-one	563-80-4	1991-07-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
3-Methylbutan-2-one	563-80-4	1991-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 59600 Page 7 of 7